Journal of MOLECULAR BIOLOGY

Editors in Chief
J. C. KENDREW S. BRENNER

Editors

P. Chambon
G. A. Gilbert
M. Gottesman
I. Herskowitz
R. Huber
H. E. Huxley
A. Klug
B. Mach
K. Matsubara

Associate Editors

C. R. Cantor
I. Herskowitz
R. Laskey
V. Luzzati
J. H. Miller
M. F. Moody

Volume 188
5 March to 20 April 1986

ACADEMIC PRESS
(Harcourt Brace Jovanovich, Publishers)
London Orlando San Diego New York
Toronto Montreal Sydney Tokyo

Copyright © 1986, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

Contents of Volume 188

Number 1, 5 March 1986

Allshire, R. C. and Bostock, C. J., Structure of Bovine Papillomavirus Type 1 DNA in a Transformed Mouse Cell Line 1

Kaufmann, G., David, M., Borasio, G. M., Teichmann, A., Paz, A., Amitsur, M., Green, R. and Snyder, L., Phage and Host Genetic Determinants of the Specific Anticodon Loop Cleavages in Bacteriophage T4-infected *Escherichia coli* CTr5X . . 15

Chatterjee, P. K., Vayda, M. E. and Flint, S. J., Identification of Proteins and Protein Domains that Contact DNA Within Adenovirus Nucleoprotein Cores by Ultraviolet Light Crosslinking of Oligonucleotides ^{32}P-labelled *in Vivo* 23

Caldentey, J. and Kellenberger, E., Assembly and Disassembly of Bacteriophage T4 Polyheads 39

Vainshtein, B. K., Melik-Adamyan, W. R., Barynin, V. V., Vagin, A. A., Grebenko, A. I., Borisov, V. V., Bartels, K. S., Fita, I. and Rossmann, M. G., Three-dimensional Structure of Catalase from *Penicillium vitale* at 2·0 Å Resolution . . 49

Melik-Adamyan, W. R., Barynin, V. V., Vagin, A. A., Borisov, V. V., Vainshtein, B. K., Fita, I., Murthy, M. R. N. and Rossmann, M. G., Comparison of Beef Liver and *Penicillium vitale* Catalases 63

De Sanctis, G., Falcioni, G., Giardina, B., Ascoli, F. and Brunori, M., Mini-myoglobin: Preparation and Reaction with Oxygen and Carbon Monoxide 73

Haertle, T. and Orgel, L. E., Template-directed Synthesis on the Oligonucleotide d(C_7-G-C_7) 77

Hammond, S. J., Birdsall, B., Searle, M. S., Roberts, G. C. K. and Feeney, J., Dihydrofolate Reductase. ^{1}H Resonance Assignments and Coenzyme-induced Conformational Changes 81

Letters to the Editor

Spassky, A., Visualization of the Movement of the *Escherichia coli* RNA Polymerase Along the *Lac* UV5 Promoter During the Initiation of the Transcription . . 99

Carter, A. T., Norton, J. D., Gibson, Y. and Avery, R. J., Expression and Transmission of a Rodent Retrovirus-like (VL30) Gene Family 105

Weber, I. T. and Steitz, T. A., Crystallization of recA Protein from *Proteus mirabilis* 109

Saper, M. A., Eldar, H., Mizuuchi, K., Nickol, J., Appella, E. and Sussman, J. L., Crystallization of a DNA Tridecamer d(C-G-C-A-G-A-A-T-T-C-G-C-G) . . . 111

Brennan, R. G., Takeda, Y., Kim, J., Anderson, W. F. and Matthews, B. W., Crystallization of a Complex of cro Repressor with a 17 Base-pair Operator . . 115

Number 2, 20 March 1986

Stalder, J., Meyerhof, W., Wirthmüller, U., Gruber, A., Wyler, T., Knöchel, W. and Weber, R., Conserved Sequences and Cell-specific DNase I Hypersensitive Sites Upstream from the Co-ordinately Expressed α_I- and α_{II}-globin Genes of *Xenopus laevis* 119

Van Lijsbettens, M., Inzé, D., Schell, J. and Van Montagu, M., Transformed Cell Clones as a Tool to Study T-DNA Integration Mediated by *Agrobacterium tumefaciens* . . 129

Fishel, R. A., Siegel, E. C. and Kolodner, R., Gene Conversion in *Escherichia coli*. Resolution of Heteroallelic Mismatched Nucleotides by Co-repair. 147

Cox, K. H., Angerer, L. M., Lee, J. J., Davidson, E. H. and Angerer, R. C., Cell Lineage-specific Programs of Expression of Multiple Actin Genes during Sea Urchin Embryogenesis 159

Lee, J. J., Calzone, F. J., Britten, R. J., Angerer, R. C. and Davidson, E. H., Activation of Sea Urchin Actin Genes during Embryogenesis. Measurement of Transcript Accumulation from Five Different Genes in *Strongylocentrotus purpuratus* . . . 173

Kreuzer, K. N. and Alberts, B. M., Characterization of a Defective Phage System for the Analysis of Bacteriophage T4 DNA Replication Origins 185

Weiss, A. S., Wake, R. G. and Inman, R. B., An Immobilized Fork as a Termination of Replication Intermediate in *Bacillus subtilis*. 199

Eustice, D. C., Wakem, L. P., Wilhelm, J. M. and Sherman, F., Altered 40 S Ribosomal Subunits in Omnipotent Suppressors of Yeast 207

Horiuchi, K., Interaction between Gene II Protein and the DNA Replication Origin of Bacteriophage f1 215

Mann, S., Bannister, J. V. and Williams, R. J. P., Structure and Composition of Ferritin Cores Isolated from Human Spleen, Limpet (*Patella vulgata*) Hemolymph and Bacterial (*Pseudomonas aeruginosa*) Cells 225

Taylor, W. R., Identification of Protein Sequence Homology by Consensus Template Alignment 233

Appendix: A General Algorithm for the Recognition of Sequence Patterns in Globular Proteins 254

Robson, B. and Platt, E., Refined Models for Computer Calculations in Protein Engineering. Calibration and Testing of Atomic Potential Functions Compatible with more Efficient Calculations 259

Appendix: Residue Representations and Molecular Geometries Recommended for Use with the Potential Functions 277

Letter to the Editor

Leslie, A. G. W., Liddell, J. M. and Shaw, W. V., Crystallization of a Type III Chloramphenicol Acetyl Transferase 283

Number 3, 5 April 1986

Ness, P. J., Parish, R. W. and Koller, T., Mapping of Endogenous Nuclease-sensitive Regions and of Putative Topoisomerase Sites of Action along the Chromatin of *Dictyostelium* Ribosomal RNA Genes 287

Heine, U. and Blumenthal, T., Characterization of Regions of the *Caenorhabditis elegans* X Chromosome Containing Vitellogenin Genes 301

Breitbart, R. E. and Nadal-Ginard, B., Complete Nucleotide Sequence of the Fast Skeletal Troponin T Gene. Alternatively Spliced Exons Exhibit Unusual Interspecies Divergence 313

Kress, M., Huxley, H. E., Faruqi, A. R. and Hendrix, J., Structural Changes During Activation of Frog Muscle Studied by Time-resolved X-ray Diffraction 325

Heyer, W.-D., Munz, P., Amstutz, H., Aebi, R., Gysler, C., Schuchert, P., Szankasi, P., Leupold, U., Kohli, J., Gamulin, V. and Söll, D., Inactivation of Nonsense Suppressor Transfer RNA Genes in *Schizosaccharomyces pombe*. Intergenic Conversion and Hot Spots of Mutation 343

Hahn, S., Hendrickson, W. and Schleif, R., Transcription of *Escherichia coli ara in Vitro*. The Cyclic AMP Receptor Protein Requirement for P_{BAD} Induction that Depends on the Presence and Orientation of the *ara*O_2 Site 355

Citi, S. and Kendrick-Jones, J., Regulation *in Vitro* of Brush Border Myosin by Light Chain Phosphorylation 369

Cole, J. R. and Nomura, M., Changes in the Half-life of Ribosomal Protein Messenger RNA Caused by Translational Repression 383

Appendix: Derivation of Equations to Estimate mRNA Half-life by Following the Approach to Equilibrium 391

Imboden, M., Blum, B., DeLange, T., Braun, R. and Seeback, Th., Tubulin mRNAs of *Trypanosoma brucei* 393

Horabin, J. I. and Webster, R. E., Morphogenesis of f1 Filamentous Bacteriophage. Increased Expression of Gene I Inhibits Bacterial Growth 403

Schneider, T. D., Stormo, G. D., Gold, L. and Ehrenfeucht, A., Information Content of Binding Sites on Nucleotide Sequences 415

Appendix: **Schneider, T. D., Haemer, J. S. and Stormo, G. D.,** Calculation of Sampling Uncertainty and Variance 426

Joyce, G. F. and Orgel, L. E., Non-enzymic Template-directed Synthesis on RNA Random Copolymers. Poly(C,G) Templates 433

Tronrud, D. E., Schmid, M. F. and Matthews, B. W., Structure and X-ray Amino Acid Sequence of a Bacteriochlorophyll *a* Protein from *Prosthecochloris aestuarii* Refined at 1·9 Å Resolution 443

Nilsson, L., Clore, G. M., Gronenborn, A. M., Brünger, A. T. and Karplus, M., Structure Refinement of Oligonucleotides by Molecular Dynamics with Nuclear Overhauser Effect Interproton Distance Restraints: Application to 5′ $d(C\text{-}G\text{-}T\text{-}A\text{-}C\text{-}G)_2$ 455

Pace, C. N. and Creighton, T. E., The Disulphide Folding Pathway of Ribonuclease T_1 . 477

Letters to the Editor

Birkeland, N. K. and Lindqvist, B. H., Coliphage P2 Late Control Gene *ogr*. DNA Sequence and Product Identification 487

Freudl, R., MacIntyre, S., Degen, M. and Henning, U., Cell Surface Exposure of the Outer Membrane Protein OmpA of *Escherichia coli* K-12 491

Skrzypczak-Jankun, E., Tulinsky, A., Fillers, J. P., Kumar, K. G. and Wood, H. G., Preliminary Crystallographic Data and Quaternary Structural Implications of the Central Subunit of the Multi-subunit Complex Transcarboxylase . . . 495

Number 4, 20 April 1986

Blackman, R. K. and Meselson, M., Interspecific Nucleotide Sequence Comparisons Used to Identify Regulatory and Structural Features of the *Drosophila hsp82* Gene . . 499

Restifo, L. L. and Guild, G. M., An Ecdysterone-responsive Puff Site in *Drosophila* Contains a Cluster of Seven Differentially Regulated Genes 517

Beatty, L. G., Babineau-Clary, D., Hogrefe, C. and Sadowski, P. D., FLP Site-specific Recombinase of Yeast 2-μm Plasmid. Topological Features of the Reaction . . 529

Yu, X.-M. and Reznikoff, W. S., Deletion Analysis of RNA Polymerase Interaction Sites in the *Escherichia coli* Lactose Operon Regulatory Region 545

Shpaer, E. G., Constraints on Codon Context in *Escherichia coli* Genes. Their Possible Role in Modulating the Efficiency of Translation 555

Lim, V. I. and Spirin, A. S., Stereochemical Analysis of Ribosomal Transpeptidation. Conformation of Nascent Peptide 565

Appendix: Lim, V. I., Disallowed Conformations of the Tetrahedral Intermediate . 575

Ross, J. and Kobs, G., H4 Histone Messenger RNA Decay in Cell-free Extracts Initiates at or near the 3′ Terminus and Proceeds 3′ to 5′ 579

Winkelmann, D. A. and Lowey, S., Probing Myosin Head Structure with Monoclonal Antibodies 595

Gasser, S. M., Laroche, T., Falquet, J., Boy de la Tour, E. and Laemmli, U. K., Metaphase Chromosome Structure. Involvement of Topoisomerase II 613

Arnott, S., Chandrasekaran, R., Millane, R. P. and Park, H.-S., DNA–RNA Hybrid Secondary Structures 631

Chou, K.-C., Némethy, G., Rumsey, S., Tuttle, R. W. and Scheraga, H. A., Interactions Between Two β-Sheets. Energetics of β/β Packing in Proteins . . . 641

Schirmer, T., Huber, R., Schneider, M., Bode, W., Miller, M. and Hackert, M. L., Crystal Structure Analysis and Refinement at 2·5 Å of Hexameric C-phycocyanin from the Cyanobacterium *Agmenellum quadruplicatum*. The Molecular Model and its Implications for Light-harvesting 651

Patel, D. J., Shapiro, L., Kozlowski, S. A., Gaffney, B. L. and Jones, R. A., Covalent Carcinogenic O^6-Methylguanosine Lesions in DNA. Structural Studies of the O^6meG · A and O^6meG · G Interactions in Dodecanucleotide Duplexes 677

Arnone, A., Rogers, P., Blough, N. V., McGourty, J. L. and Hoffman, B. M., X-ray Diffraction Studies of a Partially Liganded Hemoglobin, $[\alpha$FeII-CO$)\beta$(MnII$]_2$ . . 693

Chevrier, B., Dock, A. C., Hartmann, B., Leng, M., Moras, D., Thuong, M. T. and Westhof, E., Solvation of the Left-handed Hexamer d(5BrC-G-5BrC-G-5BrC-G) in Crystals Grown at Two Temperatures 707

Letters to the Editor

Enea, V., Galinski, M., Schmidt, E., Gwadz, R. and Nussenzweig, R. S., Evolutionary Profile of the Circumsporozoite Gene of the *Plasmodium cynomolgi* Complex 721

Sarra, R. and Lindley, P. F., Preliminary X-ray Data for an N-terminal Fragment of Rabbit Serum Transferrin 727

Announcements 729

Index to Volume 188

ctin genes, multiple, cell lineage-specific programs of expression during sea urchin embryogenesis, 159

ctin genes, sea urchin, activation during embryogenesis. Measurement of transcript accumulation from five different genes in *Strongylocentrotus purpuratus*, 173

denovirus nucleoprotein cores, identification of proteins and protein domains that contact DNA, by ultraviolet light crosslinking of oligonucleotides ^{32}P-labelled *in vivo*, 23

EBI, R. (see also HEYER, W.-D.), 343

lgmenellum quadruplicatum, crystal structure and refinement at 2·5 Å of hexameric C-phycocyanin; implications for light-harvesting, 651

lgrobacterium tumefaciens-mediated T-DNA integration, transformed cell clones as a study tool, 129

LBERTS, B. M. (see also KREUZER, K. N.), 185

LLSHIRE, R. C. & BOSTOCK, C. J., Structure of bovine papillomavirus type 1 DNA in a transformed mouse cell line, 1

$_1$- and α_{II}-globin genes, co-ordinately expressed, of *Xenopus laevis*, conserved sequences and cell-specific DNase I hypersensitive sites upstream, 119

α(FeII-CO)β(MnII)]$_2$, a partially liganded hemoglobin; X-ray diffraction studies, 693

MITSUR, M. (see also KAUFMANN, G.), 15

MSTUTZ, H. (see also HEYER, W.-D.), 343

NDERSON, W. F. (see also BRENNAN, R. G.), 115

NGERER, L. M. (see also COX, K. H.), 159

NGERER, R. C. (see also COX, K. H), 159

NGERER, R. C. (see also LEE, J. J.), 173

Anticodon loop cleavages in bacteriophage T4-infected *Escherichia coli* CTr5X, phage and host genetic determinants, 15

PPELLA, E. (see also SAPER, M. A.), 111

ra, *Escherichia coli* transcription *in vitro*. Cyclic AMP receptor protein requirement for P_{BAD} induction that depends on the presence and orientation of the *ara*O_2 site, 355

RNONE, A., ROGERS, P., BLOUGH, N. V., MCGOURTY, J. L. & HOFFMAN, B. M., X-ray diffraction studies of a partially liganded hemoglobin, [α(FeII-CO)β(MnII)]$_2$, 693

RNOTT, S., CHANDRASEKARAN, R., MILLANE, R. P & PARK, H.-S., DNA–RNA hybrid secondary structures, 631

SCOLI, F. (see also DE SANCTIS, G.), 73

Assembly and disassembly of bacteriophage T4 polyheads, 39

Atomic potential functions compatible with more efficient calculations, calibration and testing; refined models for computer calculations in protein engineering, 259

VERY, R. G. (see also CARTER, A. T.), 105

BABINEAU-CLARY, D. (see also BEATTY, L. G.), 529

Bacillus subtilis, an immobilized fork as a termination of replication intermediate, 199

Bacterial (*Pseudomonas aeruginosa*) cells, structure and composition of ferritin cores, 225

Bacterial growth is inhibited by increased expression of gene I. Morphogenesis of f1 filamentous bacteriophage, 403

Bacteriochlorophyll *a* protein from *Prostheocochloris aestuarii*, structure and X-ray amino acid sequence refined at 1·9 Å resolution, 443

Bacteriophage f1, interaction between gene II protein and the DNA replication origin, 215

Bacteriophage f1 morphogenesis. Increased expression of gene I inhibits bacterial growth, 403

Bacteriophage T4 DNA replication origins, characterization of a defective phage system for analysis, 185

Bacteriophage T4 polyheads, assembly and disassembly, 39

Bacteriophage T4-infected *Escherichia coli* CTr5X, phage and host genetic determinants of the specific anticodon loop cleavages, 15

BANNISTER, J. V. (see also MANN, S.), 225

BARTELS, K. S. (see also VAINSHTEIN, B. K.), 49

BARYNIN, V. V. (see also MELIK-ADAMYAN, W. R.), 63

BARYNIN, V. V. (see also VAINSHTEIN, B. K.), 49

BEATTY, L. G., BABINEAU-CLARY, D., HOGREFE, C. & SADOWSKI, P. D., FLP site-specific recombinase of yeast 2-μm plasmid. Topological features of reaction, 529

Beef liver and *Penicillium vitale* catalases, comparison, 63

β-sheets, two, interactions; energetics of β/β packing in proteins, 641

Binding sites on nucleotide sequences; information content, 415

BIRDSALL, B. (see also HAMMOND, S. J.), 81

BIRKELAND, N. K. & LINDQVIST, B. H., Coliphage P2 late control gene *ogr*. DNA sequence and product identification, 487

BLACKMAN, R. K. & MESELSON, M., Interspecific nucleotide sequence comparisons used to identify regulatory and structural features of the *Drosophila hsp82* gene, 499

BLOUGH, N. V. (see also ARNONE, A.), 693

BLUM, B. (see also IMBODEN, M.), 393

BLUMENTHAL, T. (see also HEINE, U.), 301

BODE, W. (see also SCHIRMER, T.), 651

BORASIO, G. D. (see also KAUFMANN, G.), 15

BORISOV, V. V. (see also MELIK-ADAMYAN, W. R.), 63

BORISOV, V. V. (see also VAINSHTEIN, B. K.), 49

BOSTOCK, C. J. (see also ALLSHIRE, R. C.), 1

Bovine papillomavirus type 1 DNA in a transformed mouse cell line; structure, 1

BOY DE LA TOUR, E. (see also GASSER, S. M.), 613

BRAUN, R. (see also IMBODEN, M.), 393

BREITBART, R. E. & NADAL-GINARD, B., Complete nucleotide sequence of the fast skeletal troponin T gene. Alternatively spliced exons exhibit unusual interspecies divergence, 313

BRENNAN, R. G., TAKEDA, Y., KIM, J., ANDERSON, W. F. & MATTHEWS, B. W., Crystallization of a complex of cro repressor with a 17 base-pair operator, 115

BRITTEN, R. J. (see also LEE, J. J.), 173

BRÜNGER, A. T. (see also NILSSON, L.), 455

BRUNORI, M. (see also DE SANCTIS, G.), 73

Brush border myosin, regulation *in vitro* by light chain phosphorylation, 369

Caenorhabditis elegans, characterization of regions of the X chromosome containing vitellogenin genes, 301

CALDENTEY, J & KELLENBERGER, E., Assembly and disassembly of bacteriophage T4 polyheads, 39

CALZONE, F. J. (see also LEE, J. J), 173

Carbon monoxide, reaction with mini-myoglobin, 73

Carcinogenic O^6-methylguanosine lesions in DNA. Structural studies of the O^6meG·A and O^6meG·G interactions in dodecanucleotide duplexes, 677

CARTER, A. T., NORTON, J. D., GIBSON, Y. & AVERY, R. J., Expression and transmission of a rodent retrovirus-like (VL30) gene family, 105

Catalase from *Penicillium vitale*, three-dimensional structure at 2·0 Å resolution, 49

Catalases, beef liver and *Penicillium vitale*; comparison, 63

Cell clones, transformed, as a tool to study T-DNA integration mediated by *Agrobacterium tumefaciens*, 129

Cell lineage-specific programs of expression of multiple actin genes during sea urchin embryogenesis, 159

Cell surface exposure of the outer membrane protein OmpA of *Escherichia coli* K-12, 491

CHANDRASEKARAN, R. (see also ARNOTT, S.), 631

CHATTERJEE, P. K., VAYDA, M. E. & FLINT, S. J., Identification of proteins and protein domains that contact DNA within adenovirus nucleoprotein cores by ultraviolet light cross-linking of oligonucleotides ^{32}P-labeled *in vivo*, 23

CHEVRIER, B., DOCK, A. C., HARTMANN, B., LENG, M., MORAS, D., THUONG, M. T. & WESTHOF, E., Solvation of the left-handed hexamer d(5BrC-G-5BrC-G-5BrC-G) in crystals grown at two temperatures, 707

Chloramphenicol acetyl transferase, type III; crystallization, 283

CHOU, K.-C., NÉMETHY, G., RUMSEY, S., TUTTLE, R. W. & SCHERAGA, H. A., Interactions between two β-sheets. Energetics of β/β packing in proteins, 641

Chromatin of *Dictyostelium* ribosomal RNA genes, mapping of endogenous nuclease-sensitive regions and of putative topoisomerase sites of action, 287

Chromosome, metaphase, structure; involvement of topoisomerase II, 613

Chromosome X of *Caenorhabditis elegans*, characterization of regions containing vitellogenin genes, 301
Circumsporozoite gene of the *Plasmodium cynomolgi* complex, evolutionary profile, 721
Citi, S. & Kendrick-Jones, J., Regulation *in vitro* of brush border myosin by light chain phosphorylation, 369
Clones, cell, transformed, as a tool to study T-DNA integration mediated by *Agrobacterium tumefaciens*, 129
Clore, G. M. (see also Nilsson, L.), 455
Codon context constraints in *Escherichia coli* genes; possible role in modulating the efficiency of translation, 555
Cole, J. R. & Nomura, M., Changes in the half-life of ribosomal protein messenger RNA caused by translation repression, 383
Coliphage P2 late control gene *ogr*. DNA sequence and product identification, 487
Computer calculations in protein engineering, refined models; calibration and testing of atomic potential functions compatible with more efficient calculations, 259
Conformation of nascent peptide; stereochemical analysis of ribosomal transpeptidation, 565
Conformational changes, coenzyme-induced, and ^{1}H resonance assignments, in dihydrofolate reductase, 81
Conformations, disallowed, of the tetrahedral intermediate, 575
Consensus template alignment, and identification of protein sequence homology, 233
Conserved sequences and cell-specific DNase I hypersensitive sites upstream fron the co-ordinately expressed α_I- and α_{II}-globin genes of *Xenopus laevis*, 119
Copolymers, random, RNA, and non-enzymic template-directed synthesis; poly(C, G) templates, 433
Co-repair resolution of heteroallelic mismatched nucleotides; gene conversion in *Escherichia coli*, 147
Covalent carcinogenic O^6-methylguanosine lesions in DNA. Structural studies of the O^6meG·A and O^6meG·G interactions in dodecanucleotide duplexes, 677
Cox, K. H., Angerer, L. M., Lee, J. J., Davidson, E. H. & Angerer, R. C., Cell lineage-specific programs of expression of multiple actin genes during sea urchin embryogenesis, 159
C-phycocyanin, hexameric, from the cyanobacterium *Agmenellum quadruplicatum*, crystal structure analysis and refinement at 2·5 Å; implications for light-harvesting, 651
Creighton, T. E. (see also Pace, C. N.), 477
cro repressor complex with a 17 base-pair operator; cyrstallization, 115
Crosslinking, ultraviolet light, of oligonucleotides ^{32}P-labelled *in vivo*; use in identification of proteins and protein domains that contact DNA within adenovirus nucleoprotein cores, 23
Crystal structure analysis and refinement at 2·5 Å of hexameric C-phycocyanin from the cyanobacterium *Agmenellum quadruplicatum*. The molecular model and its implications for light-harvesting, 651
Crystals grown at two temperatures, solvation of the left-handed hexamer d(5BrC-G-5BrC-G-5BrC-G), 707
Crystallization of a complex of cro repressor with a 17 base-pair operator, 115
Crystallization of a DNA tridecamer d(C-G-C-A-G-A-A-T-T-C-G-C-G), 111
Crysyallization of recA protein from *Proteus mirabilis*, 109
Crystallization of a type III chloramphenicol acetyl transferase, 283
Crystallographic data and quaternary structural implications of the central subunit of the multi-subunit complex transcarboxylase, 495
CTr5X, *Escherichia coli*, T4-infected, phage and host genetic determinants of the specific anticodon loop cleavages, 15
Cyanobacterium *Agmenellum quadruplicatum*, crystal structure analysis and refinement at 2·5 Å of hexameric C-phycocyanin; implications for light-harvesting, 651
Cyclic AMP receptor protein requirement for P_{BAD} induction that depends on the presence and orientation of the *ara*O_2 site; transcription *in vitro* of *Escherichia coli ara*, 355

David, M. (see also Kaufmann, G.), 15
Davidson, E. H. (see also Cox, K. H.), 159
Davidson, E. H. (see also Lee, J. J.), 173
d(C-G-C-A-G-A-A-T-T-C-G-C-G), DNA tridecamer, crystallization, 111
d(C_7-G-C_7) oligonucleotide, template-directed synthesis, 77
De Sanctis, G., Falcioni, G., Giardina, B., Ascoli, F. & Brunori, M., Mini-myoglobin: preparation and reaction with oxygen and carbon monoxide, 73
Defective phage system for the analysis of bacteriophage T4 DNA replication origins, 185
Degen, M. (see also Freudl, R.), 491
Delange, T. (see also Imboden, M.), 393
Deletion analysis of RNA polymerase interaction sites in the *Escherichia coli* lactose operon regulatory region, 545
DNA within adenovirus nucleoprotein cores, identification of contact protein domains by ultraviolet light crosslinking of oligonucleotides ^{32}P-labelled *in vivo*, 23
DNA, bovine papillomavirus type 1, in a transformed mouse cell line; structure, 1
DNA, covalent carcinogenic O^6-methylguanosine lesions. Structural studies of the O^6meG·A and O^6meG·G interactions in dodecanucleotide duplexes, 677
DNA replication origin of bacteriophage f1, interaction with gene II protein, 215
DNA sequence and product identification; coliphage P2 late control gene *ogr*, 487
DNA, T4, replication origins, characterization of a defective phage system for analysis, 185
DNA tridecamer d(C-G-C-A-G-A-A-T-T-C-G-C-G), crystallization, 111
DNA–RNA hybrid secondary structures, 631
DNase I hypersensitive sites upstream from the co-ordinately expressed α_I- and α_{II}-globin genes of *Xenopus laevis*, 119
T-DNA integration mediated by *Agrobacterium tumefaciens*, transformed cell clones as a study tool, 129
d(5BrC-G-5BrC-G-5BrC-G), left-handed hexamer, solvation in crystals grown at two tempeatures, 707
Dictyostelium ribosomal RNA genes, mapping of endogenous nuclease-sensitive regions and of putative topoisomerase sites of action along the chromatin, 287
Dihydrofolate reductase. ^{1}H resonance assignments and coenzyme-induced conformational changes, 81
Disulphide folding pathway of ribonuclease T_1, 477
Dock, A. C. (see also Chevrier, B.), 707
Dodecanucleotide duplexes, structural studies of the O^6meG·A and O^6meG·G interactions; covalent carcinogenic O^6-methylguanosine lesions in DNA, 677
Drosophila, an ecdysterone-responsive puff site contains a cluster of seven differentially regulated genes, 517
Drosophila hsp82 gene, regulatory and structural features identified by interspecific nucleotide sequence comparisons, 499

Ecdysterone-responsive puff site in *Drosophila* contains a cluster of seven differentially regulated genes, 517
Ehrenfeucht, A. (see also Schneider, T. D.), 415
Eldar, H. (see also Saper, M. A.), 111
Embryogenesis, and activation of sea urchin genes. Measurement of transcript accumulation from five different genes in *Stronglyocentrotus purpuratus*, 173
Embryogenesis, sea urchin, and cell lineage-specific programs of expression of multiple actin genes, 159
Enea, V., Galinski, M., Schmidt, E., Gwadz, R. & Nussenzweig, R. S., Evolutionary profile of the circumsporozoite gene of the *Plasmodium cynomolgi* complex, 721
Energetics of β/β packing in proteins; interactions between two β-sheets, 641
Escherichia coli ara transcription *in vitro*. Cyclic AMP receptor protein requirement for P_{BAD} induction that depends on the presence and orientation of the *ara*O_2 site, 355
Escherichia coli CTr5X, T4-infected, phage and host genetic determinants of the specific anticodon loop cleavages, 15
Escherichia coli K-12, cell surface exposure of the outer membrane protein OmpA, 491
Escherichia coli lactose operon regulatory region, deletion analysis of RNA polymerase interaction sites, 545
Escherichia coli gene conversion. Resolution of heteroallelic mismatched nucleotides by co-repair, 147

Escherichia coli genes, constraints on codon context; their possible role in modulating the efficiency of translation, 555
Escherichia coli RNA polymerase, visualization of movement along the *lac* UV5 promoter during the initiation of the transcription, 99
Eustice, D. C., Wakem, L. P., Wilhelm, J. M. & Sherman, F., Altered 40 S ribosomal subunits in omnipotent suppressors of yeast, 207
Evolutionary profile of the circumsporozoite gene of the *Plasmodium cynomolgi* complex, 721
Evolutionary study of the *Drosophila hsp82* gene, 499
Exons, alternatively spliced, exhibit unusual interspecies divergence; complete nucleotide sequence of the fast skeletal troponin T gene, 313
Expression, increased, of gene I inhibits bacterial growth. Morphogenesis of f1 filamentous bacteriophage, 403
Expression of multiple actin genes during sea urchin embryogenesis, cell lineage-specific programs, 159
Expression and transmission of a rodent retrovirus-like (VL30) gene family, 105

f1 (see also Bacteriophage), 215, 403
Falcioni, G. (see also De Sanctis, G.), 73
Falquet, J. (see also Gasser, S. M.), 613
Faruqi, A. R. (see also Kress, M.), 325
Fast skeletal troponin T gene, complete nucleotide sequence; alternatively spliced exons exhibit unusual interspecies divergence, 313
Feeney, J. (see also Hammond, S. J.), 81
Ferritin cores isolated from human spleen, limpet (*Patella vulgata*) hemolymph and bacterial (*Pseudomonas aeruginosa*) cells; structure and composition, 225
Filamentous bacteriophage f1 morphogenesis. Increased expression of gene I inhibits bacterial growth, 403
Fillers, J. P. (see also Skrzypczak-Jankun, E.), 495
Fishel, R. A., Siegel, E. C & Kolodner, R., Gene conversion in *Escherichia coli*. Resolution of heteroallelic mismatched nucleotides by co-repair, 147
Fita, I. (see also Melik-Adamyan, W. R.), 63
Fita, I. (see also Vainshtein, B. K.), 49
5′ d(C-G-T-A-C-G)$_2$ structure refinement by molecular dynamics with nuclear Overhauser effect interproton distance restraints, 455
Flint, S. J. (see also Chatterjee, P. K.), 23
FLP site-specific recombinase of yeast 2-μm plasmid. Topological features of the reaction, 529
Folding pathway disulphide, of ribonuclease T$_1$, 477
Fork, immobilized, as a termination of replication intermediates in *Bacillus subtilis*, 199
Freudl, R., MacIntyre, S., Degen, M. & Henning, U., Cell surface exposure of the outer membrane protein OmpA of *Escherichia coli* K-12, 491
Frog muscle activation, structural changes studied by time-resolved X-ray diffraction, 325

Gaffney, B. L. (see also Patel, D. J.), 677
Galinski, M. (see also Enea, V.), 721
Gamulin, V. (see also Heyer, W.-D.), 343
Gasser, S. M., Laroche, T., Falquet, J., Boy de la Tour, E. & Laemmli, U. K., Metaphase chromosome structure. Involvement of topoisomerase II, 613
Gene, circumsporozoite, of the *Plasmodium cynomolgi* complex; evolutionary profile, 721
Gene cluster of seven differentially regulated genes is contained in an ecdysterone-responsive puff site in *Drosophila*, 517
Gene conversion in *Escherichia coli*. Resolution of heteroallelic mismatched nucleotides by co-repair, 147
Gene, *Drosophila hsp82*, regulatory and structural features identified by interspecific nucleotide sequence comparisons, 499
Gene family, VL30, retrovirus-like, rodent, expression and transmission, 105
Gene, fast skeletal troponin T, complete nucleotide sequence; alternatively spliced exons exhibit unusual interspecies divergence, 313
Gene *ogr*, coliphage P2; DNA sequence and product identification, 487
Gene I, increased expression inhibits bacterial growth. Morphogenesis of f1 filamentous bacteriophage, 403
Gene II protein, interaction with DNA replication origin of bacteriophage f1, 215
Genes, actin, multiple, and cell lineage-specific programs of expression during sea urchin embryogenesis, 159
Genes, actin, sea urchin, activation during embryogenesis. Measurement of transcript accumulation from five different genes in *Strongly ocentrotus purpuratus*, 173
Genes, α_I- and α_{II}-globin, co-ordinately expressed, of *Xenopus laevis*, and conserved sequences and cell-specific DNase I hypersensitive sites upstream, 119
Genes: characterization of regions of the *Caenorhabditis elegans* X chromosome containing vitellogenin genes, 301
Genes, *Escherichia coli*, constraints on codon context; their possible role in modulating the efficiency of translation, 555
Genes, RNA, ribosomal, *Dictyostelium*, mapping of endogenous nuclease-sensitive regions and of putative topoisomerase sites of action along the chromatin, 287
Genes, tRNA, nonsense suppressor, inactivation in *Schizosaccharomyces pombe*; intergenic conversion and hot spots of mutation, 343
Genetic determinants of the specific anticodon loop cleavages in bacteriophage T4-infected *Escherichia coli* CTr5X, 15
Giardina, B. (see also De Sanctis, G.), 73
Gibson, Y. (see also Carter, A. T.), 105
Gold, L. (see also Schneider, T. D.), 415
Grebenko, A. I. (see also Vainshtein, B. K.), 49
Green, R. (see also Kaufmann, G.), 15
Gronenborn, A. M. (see also Nilsson, L.), 455
Gruber, A. (see also Stalder, J.), 119
Guild, G. M. (see also Restifo, L. L.), 517
Gwadz, R. (see also Enea, V.), 721
Gysler, C. (see also Heyer, W.-D.), 343

^{1}H resonance assignments and coenzyme-induced conformational changes, in dihydrofolate reductase, 81
H4 histone mRNA decay in cell-free extracts initiates at or near the 3′ terminus and proceeds 3′ to 5′, 579
Hackert, M. L. (see also Schirmer, T.), 651
Haemer, J. S. (see also Schneider, T. D.), 426
Haertle, T. & Orgel, L. E., Template-directed synthesis on the oligonucleotide d(C$_7$-G-C$_7$), 77
Hahn, S., Hendrickson, W. & Schleif, R., Transcription *in vitro* of *Escherichia coli ara*. The cyclic AMP receptor protein requirement for P_{BAD} induction that depends on the presence and orientation of the *ara*O$_2$ site, 355
Half-life changes of ribosomal protein mRNA caused by translational repression, 383
Half-life, mRNA, estimation, derivation of equations by following the approach to equilibrium, 391
Hammond, S. J., Birdsall, B., Searle, M. S., Roberts, G. C. K. & Feeney, J., Dihydrofolate reductase. ^{1}H resonance assignments and coenzyme-induced conformational changes, 81
Hartmann, B. (see also Chevrier, B.), 707
Heine, U. & Blumenthal, T., Characterization of regions of the *Caenorhabditis elegans* X chromosome containing vitellogenin genes, 301
Hemoglobin, partially liganded, [α(FeII-CO)β(MnII)]$_2$, X-ray diffraction studies, 693
Hemolymph, limpet (*Patella vulgata*), structure and composition of ferritin cores, 225
Hendrickson, W. (see also Hahn, S.), 355
Hendrix, J. (see also Kress, M.), 325
Henning, U. (see also Freudl, R.), 491
Heteroallelic mismatched nucleotides, resolution by co-repair; gene conversion in *Escherichia coli*, 147
Heyer, W.-D., Munz, P., Amstutz, H., Aebi, R., Gysler, C., Schuchert, P., Szankasi, P., Leupold, U., Kohli, J., Gamulin, V. & Söll, D., Inactivation of nonsense suppressor transfer RNA genes in *Schizosaccharomyces pombe*. Intergenic conversion and hot spots of mutation, 343
Histone H4 mRNA decay in cell-free extracts initiates at or near the 3′ terminus and proceeds 3′ to 5′, 579
Hoffman, B. M. (see also Arnone, A.), 693
Hogrefe, C. (see also Beatty, L. G.), 529

Homology, protein sequence, identification by consensus template alignment, 233
Horabin, J. I. & Webster, R. E., Morphogenesis of f1 filamentous bacteriophage. Increased expression of gene I inhibits bacterial growth, 403
Horiuchi, K., Interaction between gene II protein and the DNA replication origin of bacteriophage f1, 215
hsp82 Drosophila gene, regulatory and structural features identified by interspecific nucleotide sequence comparisons, 499
Huber, R. (see also Schirmer, T.), 651
Human spleen, structure and composition of ferritin cores, 225
Huxley, H. E. (see also Kress, M.), 325

Imboden, M., Blum, B., Delange, T., Braun, R. & Seebeck, Th., Tubulin mRNAs of *Trypanosoma brucei*, 393
Information content of binding sites on nucleotide sequences, 415
Inman, R. B. (see also Weiss, A. S.), 199
Intergenic conversion and mutation hot spots. Inactivation of nonsense suppressor tRNA genes in *Schizosaccharomyces pombe*, 343
Interspecies divergence, unusual, exhibited by alternatively spliced exons; complete nucleotide sequence of the fast skeletal troponin T gene, 313
Inzé, D. (see also Van Lijsebettens, M.), 129

Jones, R. A. (see also Patel, D. J.), 677
Joyce, G. F. & Orgel, L. E., Non-enzymic template-directed synthesis on RNA random copolymers. Poly(C,G) templates, 433

Karplus, M. (see also Nilsson, L.), 455
Kaufmann, G., David, M., Borasio, G. D., Teichmann, A., Paz, A., Amitsur, M., Green, R. & Snyder, L., Phage and host genetic determinants of the specific anticodon loop cleavages in bacteriophage T4-infected *Escherichia coli* CTr5X, 15
Kellenberger, E. (see also Caldentey, J.), 39
Kendrick-Jones, J. (see also Citi, S.), 369
Kim, J. (see also Brennan, R. G.), 115
Knöchel, W. (see also Stalder, J.), 119
Kobs, G. (see also Ross, J.), 579
Kohli, J. (see also Heyer, W.-D.), 343
Koller, T. (see also Ness, P. J.), 287
Kolodner, R. (see also Fishel, R. A.), 147
Kozlowski, S. A. (see also Patel, D. J.), 677
Kress, M., Huxley, H. E., Faruqi, A. R. & Hendrix, J., Structural changes during activation of frog muscle studied by time-resolved X-ray diffraction, 325
Kreuzer, K. N. & Alberts, B. M., Characterization of a defective phage system for the analysis of bacteriophage T4 DNA replication origins, 185
Kumar, K. G. (see also Skrzypczak-Jankun, E.), 495

lac UV5 promoter, visualization of the movement of *Escherichia coli* RNA polymerase during the initiation of transcription, 99
Lactose operon regulatory region, *Escherichia coli*; deletion analysis of RNA polymerase interaction sites, 545
Laemmli, U. K. (see also Gasser, S. M.), 613
Laroche, T. (see also Gasser, S. M.), 613
Lee, J. J., Calzone, F. J., Britten, R. J., Angerer, R. C. & Davidson, E. H., Activation of sea urchin actin genes during embryogenesis. Measurement of transcript accumulation from five different genes in *Strongylocentrotus purpuratus*, 173
Lee, J. J. (see also Cox, K. H.), 159
Leng, M. (see also Chevrier, B.), 707
Leslie, A. G. W., Liddell, J. M. & Shaw, W. V., Crystallization of a type III chloramphenicol acetyl transferase, 283
Leupold, U. (see also Heyer, W.-D.), 343
Liddell, J. M. (see also Leslie, A. G. W.), 283
Light chain phosphorylation, and regulation *in vitro* of brush border myosin, 369
Light-harvesting, and crystal structure analysis and refinement at 2·5 Å of hexameric C-phycocyanin from the cyanobacterium *Agmenellum quadruplicatum*, 651
Lim, V. I., Disallowed conformations of the tetrahedral intermediate (*Appendix* to Lim, V. I. & Spirin, A. S., 565), 575
Lim, V. I. & Spirin, A. S., Stereochemical analysis of ribosomal transpeptidation conformation of nascent peptide, 565
Limpet (*Patella vulgata*) hemolymph, structure and composition of ferritin cores, 225
Lindley, P. F. (see also Sarra, R.), 727
Lindqvist, B. H. (see also Birkeland, N. K.), 487
Liver, beef, and *Penicillium vitale* catalases, comparison, 63
Lowey, S. (see also Winkelmann, D. A.), 595

McGourty, J. L. (see also Arnone, A.), 693
MacIntyre, S. (see also Freudl, R.), 491
Mann, S., Bannister, J. V. & Williams, R. J. P., Structure and composition of ferritin cores isolated from human spleen, limpet (*Patella vulgara*) hemolymph and bacterial (*Psueodomonas aeruginosa*) cells, 225
Mapping of endogenous nuclease-sensitive regions and of putative topoisomerase sites of action along the chromatin of *Dictyostelium* ribosomal RNA genes, 287
Matthews, B. W. (see also Brennan, R. G.), 115
Matthews, B. W. (see also Tronrud, D. E.), 443
Melik-Adamyan, W. R., Barynin, V. V., Vagin, A. A., Borisov, V. V., Vainshtein, B. K., Fita, I., Murthy, M. R. N. & Rossmann, M. G., Comparison of beef liver and *Penicillium vitale* catalases, 63
Melik-Adamyan, W. R. (see also Vainshtein, B. K.), 49
Meselson, M. (see also Blackman, R. K.), 499
Messenger RNA, derivation of equations to estimate half-life by following the approach to equilibrium, 391
Messenger RNA, H4 histone, decay in cell-free extracts initiates at or near the 3′ terminus and proceeds 3′ to 5′, 579
Messenger RNA, ribosomal protein, changes in the half-life caused by translational repression, 383
Messenger RNAs, tubulin, of *Trypanosoma brucei*, 393
Metaphase chromosome structure. Involvement of topoisomerase II, 613
Meyerhof, W. (see also Stalder, J.), 119
Millane, R. P. (see also Arnott, S.), 631
Miller, M. (see also Schirmer, T.), 651
Mini-myoglobin: preparation and reaction with oxygen and carbon monoxide, 73
Mizuuchi, K. (see also Saper, M. A.), 111
Molecular dynamics with nuclear Overhauser effect interproton distance restraints, and structure refinement of oligonucleotides; application to 5′ d(C-G-T-A-C-G)$_2$, 455
Monoclonal antibody probing of myosin head structure, 595
Moras, D. (see also Chevrier, B.), 707
Morphogenesis of f1 filamentous bacteriophage. Increased expression of gene I inhibits bacterial growth, 403
Mouse cell line, transformed; structure of bovine papillomavirus type 1 DNA, 1
Munz, P. (see also Heyer, W.-D.), 343
Murthy, M. R. N. (see also Melik-Adamyan, W. R.), 63
Muscle, frog, activation; structural changes studied by time-resolved X-ray diffraction, 325
Mutation hot spots and intergenic conversion. Inactivation of nonsense suppressor tRNA genes in *Schizosaccharomyces pombe*, 343
Myoglobin: preparation of mini-myoglobin and reaction with oxygen and carbon monoxide, 73
Myosin, brush border, regulation *in vitro* by light chain phosphorylation, 369
Mysoin head structure, probing with monoclonal antibodies, 595

Nadal-Ginard, B. (see also Breitbart, R. E.), 313
Némethy, G. (see also Chou, K.-C.), 641
Ness, P. J., Parish, R. W. & Koller, T., Mapping of endogenous nuclease-sensitive regions and of putative topoisomerase sites of action along the chromatin of *Dictyostelium* ribosomal RNA genes, 287
Nickol, J. (see also Saper, M. A.), 111

Nilsson, L., Clore, G. M., Gronenborn, A. M., Brünger, A. T. & Karplus, M., Structure refinement of oligonucleotides by molecular dynamics with nuclear Overhauser effect interproton distance restraints: application to 5′ d(C-G-T-A-C-G)$_2$, 455
Nomura, M. (see also Cole, J. R.), 383
Nonsense suppressor tRNA genes, inactivation in *Schizosaccharomyces pombe*. Intergenic conversion and hot spots of mutation, 343
Norton, J. D. (see also Carter, A. T.), 105
N-terminal fragment of rabbit serum transferrin, preliminary X-ray data, 727
Nucleotide sequence comparisons used to identify regulatory and structural features of the *Drosophila hsp82* gene, 499
Nucleotide sequence, complete, of the fast skeletal troponin T gene. Alternatively spliced exons exhibit unusual interspecies divergence, 313
Nucleotide sequences, information content of binding sites, 415
Nucleotides, mismatched, heteroallelic, resolution by co-repair; gene conversion in *Escherichia coli*, 147
Nussenzweig, R. A. (see also Enea, V.), 721

ogr gene, coliphage P2; DNA sequence and product identification, 487
Oligonucleotide d(C$_7$-G-C$_7$), template-directed synthesis, 77
Oligonucleotide structure refinement by molecular dynamics with nuclear Overhauser effect interproton distance restraints: application to 5′ d(C-G-T-A-C-G)$_2$, 455
O^6-methylguanosine lesions in DNA. Structural studies of the O^6meG·A and O^6meG·G interactions in dodecanucleotide duplexes, 677
OmpA protein of *Escherichia coli* K-12, cell surface exposure, 491
Orgel, L. E. (see also Haertle, T.), 77
Orgel, L. E. (see also Joyce, G. F.), 433
Outer membrane protein OmpA of *Escherichia coli* K-12, cell surface exposure, 491
Overhauser effect, nuclear, interproton distance restraints, structure refinement of oligonucleotides by molecular dynamics; application to 5′ d(C-G-T-A-C-G)$_2$, 455
Oxygen, reaction with mini-myoglobin, 73

P2 (see also coliphage), 487
Pace, C. N. & Creighton, T. E., The disulphide folding pathway of ribonuclease T$_1$, 477
Packing, β/β, energetics, in proteins; interactions between two β-sheets, 641
Papillomavirus type 1 DNA, bovine, in a transformed mouse cell line; structure, 1
Parish, R. W. (see also Ness, P. J.), 287
Park, H.-S. (see also Arnott, S.), 631
Patel, D. J., Shapiro, L., Kozlowski, S. A., Gaffney, B. L. & Jones, R. A., Covalent carcinogenic O^6-methylguanosine lesions in DNA. Structural studies of the O^6meG·A and O^6meG·G interactions in dodecanucleotide duplexes, 677
Patella vulgata hemolymph, structure and composition of ferritin cores, 225
Paz, A. (see also Kaufmann, G.), 15
Penicillium vitale and beef liver catalases, comparison, 63
Penicillium vitale catalase, three-dimensional structure at 2·0 Å resolution, 49
Phage and host genetic determinants of the specific anticodon loop cleavages in bacteriophage T4-infected *Escherichia coli* CTr5X, 15
Phosphorylation, brush border, and regulation *in vitro* of brush border myosin, 369
Plasmid, 2-μm, yeast, FLP site-specific recombinase; topological features of the reaction, 529
Plasmodium cynomolgi complex, evolutionary profile of the circumsporozoite gene, 721
Platt, E. (see also Robson, B.), 259
Poly(C, G) templates; non-enzymic template-directed synthesis on RNA random copolymers, 433
Polyheads, T4, assembly and disassembly, 39
Potential functions, atomic, compatible with more efficient calculations; cation and testing; refined models for computer calculations in protein engineering, 259
Potential functions, residue representations and molecular geometries recommended for use, 277
^{32}P-labelled oligonucleotides, ultraviolet light crosslinking *in vivo*; use in identification of proteins and protein domains that contact DNA within adenovirus nucleoprotein cores, 23
Prosthecochloris aestuarii, structure and X-ray amino acid sequence of a bacteriochlorophyll *a* protein refined at 1·9 Å resolution, 443
Protein engineering, refined models for computer calculations; calibration and testing of atomic potential functions compatible with more efficient calculations, 259
Protein, recA, from *Proteus mirabilis*; crystallization, 109
Protein sequence homology, identification by consensus template alignment, 233
Proteins, energetics of β/β packing; interactions between two β-sheets, 641
Proteins, globular, a general algorithm for the recognition of sequence patterns, 254
Proteins and protein domains that contact DNA within adenovirus nucleoprotein cores, identification by ultraviolet light crosslinking of oligonucleotides ^{32}P-labelled *in vivo*, 23
Proteus mirabilis, crystallization of recA protein, 109
Pseudomonas aeruginosa cells, structure and composition of ferritin cores, 225
Puff site, ecdysterone-responsive, in *Drosophila* contains a cluster of seven differentially regulated genes, 517

Rabbit serum transferrin, preliminary X-ray data for an N-terminal fragment, 727
recA protein from *Proteus mirabilis*, crystallization, 109
Regulation *in vitro* of brush border myosin by light chain phosphorylation, 369
Regulatory features of the *Drosophila hsp82* gene identified by interspecific nucleotide sequence comparisons, 499
Replication intermediate in *Bacillus subtilis*, an immobilized fork as a termination, 199
Replication origin, DNA, of bacteriophage f1, interaction with gene II protein, 215
Replication origins, DNA, T4, and characterization of a defective phage system for analysis, 185
Restifo, L. L. & Guild, G. M., An ecdysterone-responsive puff site in *Drosophila* contains a cluster of seven differentially regulated genes, 517
Retrovirus-like (VL30) gene family, rodent, expression and transmission, 105
Reznikoff, W. S. (see also Yu, X.-M.), 545
Ribonuclease T$_1$ disulphide folding pathway, 477
RNA genes, ribosomal, *Dictyostelium*, mapping of endogenous nuclease-sensitive regions and of putative topoisomerase sites of action along the chromatin, 287
RNA polymerase, *Escherichia coli*, visualization of movement along the *lac* UV5 promoter during the initiation of the transcription, 99
RNA polymerase interaction sites in the *Escherichia coli* lactose operon regulatory region; deletion analysis, 545
RNA random copolymers, and non-enzymic template-directed synthesis; poly(C, G) templates, 433
RNA–DNA hybrid secondary structures, 631
Ribosomal protein mRNA, changes in the half-life caused by translational repression, 383
Ribosomal RNA genes, *Dictyostelium*, mapping of endogenous nuclease-sensitive regions and of putative topoisomerase sites of action along the chromatin, 287
Ribosomal 40 S subunits, altered, in omnipotent suppressors of yeast, 207
Ribosomal transpeptidation, stereochemical analysis; conformation of nascent peptide, 565
Roberts, G. C. K. (see also Hammond, S. J.), 81
Robson, B. & Platt, E., Refined models for computer calculations in protein engineering. Calibration and testing of atomic potential functions compatible with more efficient calculations, 259
Rodent retrovirus-like (VL30) gene family, expression and transmission, 105
Rogers, N. V. (see also Arnone, A.), 693

Ross, J. & Kobs, G., H4 histone messenger RNA decay in cell-free extracts initiates at or near the 3′ terminus and proceeds 3′ to 5′, 579
Rossmann, M. G. (see also Melik-Adamyan, W. R.), 63
Rossmann, M. G. (see also Vainshtein, B. K.), 49
Rumsey, S. (see also Chou, K.-C.), 641

Sadowski, P. D. (see also Beatty, L. G.), 529
Sampling uncertainty and variance, calculation, 426
Saper, M. A., Eldar, H., Mizuuchi, K., Nickol, J., Apella, E. & Sussman, J. L., Crystallization of a DNA tridecamer d(C-G-C-A-G-A-A-T-T-C-G-C-G), 111
Sarra, R. & Lindley, P. F., Preliminary X-ray data for an N-terminal fragment of rabbit serum transferrin, 727
Schell, J. (see also Van Lijsebettens, M.), 129
Scheraga, H. A. (see also Chou, K.-C.), 641
Schirmer, T., Huber, R., Schneider, M., Bode, W., Miller, M. & Hackert, M. L., Crystal structure analysis and refinement at 2·5 Å of hexameric C-phycocyanin from the cyanobacterium *Agmenellum quadruplicatum*. The molecular model and its implications for light-harvesting, 651
Schizosaccharomyces pombe, inactivation of nonsense suppressor tRNA genes; intergenic conversion and hot spots of mutation, 343
Schleif, R. (see also Hahn, S.), 355
Schmid, M. F. (see also Tronrud, D. E.), 443
Schmidt, E. (see also Enea, V.), 721
Schneider, M. (see also Schirmer, T.), 651
Schneider, T. D., Haemer, J. S. & Stormo, G. D., Calculation of sampling uncertainty and variance (*Appendix* to Schneider, T. D. *et al.*, 415), 426
Schneider, T. D., Stormo, G. D., Gold, L. & Ehrenfeucht, A., Information content of binding sites on nucleotide sequences, 415
Schuchert, P. (see also Heyer, W.-D.), 343
Sea urchin actin gene activation during embryogenesis. Measurement of transcript accumulation from five different genes in *Strongylocentrotus purpuratus*, 173
Sea urchin, cell lineage-specific programs of expression of multiple actin genes during embryogenesis, 159
Searle, M. S. (see also Hammond, S. J.), 81
Seebeck, Th. (see also Imboden, M.), 393
Sequence, amino acid, X-ray, of a bacteriochlorophyll *a* protein from *Prosthecochloris aestuarii* refined at 1·9 Å resolution, 443
Sequence, DNA, and product identification; coliphage P2 late control gene *ogr*, 487
Sequence, nucleotide, comparisons used to identify regulatory and structural features of the *Drosophila hsp82* gene, 499
Sequence, nucleotide, complete, of the fast skeletal troponin T gene. Alternatively spliced exons exhibit unusual inter-species divergence, 313
Sequence patterns in globular proteins, a general algorithm for recognition, 254
Sequence, protein, homology, identification by consensus template alignment, 233
Sequences, conserved, and cell-specific DNase I hypersensitive sites upstream from the co-ordinately expressed α_I- and α_{II}-globin genes of *Xenopus laevis*, 119
Sequences, nucleotide, and information content of binding sites, 415
Shapiro, L. (see also Patel, D. J.), 677
Shaw, W. V. (see also Leslie, A. G. W.), 283
Sherman, F. (see also Eustice, D. C.), 207
Shpaer, E. G., Constraints on codon context in *Escherichia coli* genes. Their possible role in modulating the efficiency of translation, 555
Siegel, E. C. (see also Fishel, R. A.), 147
Skeletal, fast, troponin T gene, complete nucleotide sequence; alternatively spliced exons exhibit unusual interspecies divergence, 313
Skrzypczak-Jankun, E., Tulinsky, A., Fillers, J. P., Kumar, K. G. & Wood, H. G., Preliminary crystallographic data and quaternary structural implications of the central subunit of the multi-subunit complex transcarboxylase, 495
Snyder, L. (see also Kaufmann, G.), 15
Söll, D. (see also Heyer, W.-D.), 343
Solvation of the left-handed hexamer d(5BrC-G-5BrC-G-5BrC-G) in crystals grown at two temperatures, 707
Spassky, A., Visualization of the movement of the *Escherichia coli* RNA polymerase along the *lac* UV5 promoter during the initiation of the transcription, 99
Spirin, A. S. (see also Lim, V. I.), 565
Spleen, human, structure and composition of ferritin cores, 225
Stalder, J., Meyerhof, W., Wirthmüller, U., Gruber, A., Wyler, T., Knöchel, W. & Weber, R., Conserved sequences and cell-specific DNase I hypersensitive sites upstream from the co-ordinately expressed α_I- and α_{II}-globin genes of *Xenopus laevis*, 119
Steitz, T. A. (see also Weber, I. T.), 109
Stereochemical analysis of ribosomal transpeptidation. Conformation of nascent peptide, 565
Stormo, G. D. (see also Schneider, T. D.), 415, 426
Strongylocentrotus purpuratus, measurement of transcript accumulation from five different genes. Activation of sea urchin genes during embryogenesis, 173
Structural changes during activation of frog muscle studied by time-resolved X-ray diffraction, 325
Structural features of the *Drosophila hsp82* gene identified by interspecific nucleotide sequence comparisons, 499
Structural implications of crystallographic data for the central subunit of transcarboxylase, 495
Structural studies of the O^6meG·A and O^6meG·G interactions in dodecanucleotide duplexes; covalent carcinogenic O^6-methylguanosine lesions in DNA, 677
Structure of bovine papillomavirus type 1 DNA in a transformed mouse cell line, 1
Structure, chromosome, metaphase; involvement of topoisomerase II, 613
Structure and composition of ferritin cores isolated from human spleen, limpet (*Patella vulgata*) hemolymph and bacterial (*Pseudomonas aeruginosa*) cells, 225
Structure, crystal, analysis and refinement at 2·5 Å of hexameric C-phycocyanin from the cyanobacterium *Agmenellum quadruplicatum*. The molecular model and its implications for light-harvesting, 651
Structure of myosin head, probing with monoclonal antibodies, 595
Structure refinement of oligonucleotides by molecular dynamics with nuclear Overhauser effect interproton distance restraints: application to 5′ d(C-G-T-A-C-G)$_2$, 455
Structure, three-dimensional, of catalase from *Penicillium vitale* at 2·0 Å resolution, 49
Structure and X-ray amino acid sequence of a bacteriochlorophyll *a* protein from *Prosthecochloris aestuarii* refined at 1·9 Å resolution, 443
Structures, secondary, hybrid, DNA–RNA, 631
Suppressors, omnipotent, of yeast; altered 40 S ribosomal subunits, 207
Surface, cell, exposure of the outer membrane protein OmpA of *Escherichia coli* K-12, 491
Sussman, J. L. (see also Saper, M. A.), 111
Synthesis, template-directed, non-enzymic, on RNA random copolymers. Poly(C, G) templates, 433
Synthesis, template-directed, on the oligonucleotide d(C$_7$-G-C$_7$), 77
Szanskasi, P. (see also Heyer, W.-D.), 343

T4 (see also Bacteriophage), 15, 39, 185
Takeda, Y. (see also Brennan, R. G.), 115
Taylor, W. R., Identification of protein sequence homology by consensus template alignment, 233
Teichmann, A. (see also Kaufmann, G.), 15
Temperature of crystal growth, and solvation of the left-handed hexamer d(5BrC-G-5BrC-G-5BrC-G), 707
Template-directed synthesis, non-enzymic, on RNA random copolymers. Poly(C,G) templates, 433
Template-directed synthesis on the oligonucleotide d(C$_7$-G-C$_7$), 77
3′ to 5′ decay of H4 mRNA, 579
Thuong, M. T. (see also Chevrier, B.), 707
Topoisomerase sites of action along the chromatin of *Dictyostelium* ribosomal RNA genes, 287
Topoisomerase II, and metaphase chromosome structure, 613

Topology of the FLP reaction, 529
Transcarboxylase, preliminary crystallographic data and quaternary structural implications of the central subunit, 495
Transcript accumulation measurement for five different genes in *Strongylocentrotus purpuratus*. Activation of sea urchin actin genes during embryogenesis, 173
Transcription *in vitro* of *Escherichia coli ara*. The cyclic AMP receptor protein requirement for P_{BAD} induction that depends on the presence and orientation of the $araO_2$ site, 355
Transcription initiation: visualization of the movement of the *Escherichia coli* RNA polymerase along the *lac* UV5 promoter, 99
Transfer RNA genes, nonsense suppressor, inactivation in *Schizosaccharomyces pombe*; intergenic conversion and hot spots of mutation, 343
Transferrin, rabbit serum, preliminary X-ray data for an N-terminal fragment, 727
Transformed cell clones as a tool to study T-DNA integration mediated by *Agrobacterium tumefaciens*, 129
Translation efficiency modulation, and the role of constraints on codon context in *Escherichia coli* genes, 555
Translational repression causes changes in the half-life of ribosomal protein mRNA, 383
Transmission of a rodent retrovirus-like (VL30) gene family, 105
Transpeptidation, ribosomal, stereochemical analysis; conformation of nascent peptide, 565
Tronrud, D. E., Schmid, M. F. & Matthews, B. W., Structure and X-ray amino acid sequence of a bacteriochlorophyll *a* protein from *Prosthecochloris aestuarii* refined at 1·9 Å resolution, 443
Troponin T gene, fast skeletal, complete nucleotide sequence; alternatively spliced exons exhibit unusual interspecies divergence, 313
Trypanosoma brucei tubulin mRNAs, 393
Tubulin mRNAs of *Trypanosoma brucei*, 393
Tulinsky, A. (see also Skrzypcak-Jankun, E.), 495
Tuttle, R. W. (see also Chou, K.-C.), 641

Ultraviolet light crosslinking of oligonucleotides ^{32}P-labelled *in vivo*, use in identification of proteins and protein domains that contact DNA within adenovirus nucleoprotein cores, 23
UV5 *lac* promoter, visualization of the movement along of the *Escherichia coli* RNA polymerase during the initiation of the transcription, 99

Vagin, A. A. (see also Melik-Adamyan, W. R.), 63
Vagin, A. A. (see also Vainshtein, B. K.), 49
Vainshtein, B. K., Melik-Adamyan, W. R., Barynin, V. V., Vagin, A. A., Grebenko, A. I., Borisov, V. V., Bartels, K. S., Fita, I. & Rossmann, M. G., Three-dimensional structure of catalase from *Penicillium vitale* at 2·0 Å resolution, 49
Vainshtein, B. K. (see also Melik-Adamyan, W. R.), 63
Van Lijsebettens, M., Inzé, D., Schell, J. & Van Montagu, M., Transformed cell clones as a tool to study T-DNA integration mediated by *Agrobacterium tumefaciens*, 129
Van Montagu, M. (see also Van Lijsebettens, M.), 129
Vayda, M. E. (see also Chatterjee, P. K.), 23
Visualization of the movement of the *Escherichia coli* RNA polymerase along the *lac* UV5 promoter during the initation of the transcription, 99
Vitellogenin gene-containing regions of the *Caenorhabditis elegans* X chromosome; characterization, 301
VL30 gene family, retrovirus-like, rodent, expression and transmission, 105

Wake, R. G. (see also Weiss, A. S.), 199
Wakem, L. P. (see also Eustice, D. C.), 207
Weber, I. T. & Steitz, T. A., Crystallization of recA protein from *Proteus mirabilis*, 109
Weber, R. (see also Stalder, J.), 119
Webster, R. E. (see also Horabin, J. I.), 403
Weiss, A. S., Wake, R. G. & Inman, R. B., An immobilized fork as a termination of replication intermediate in *Bacillus subtilis*, 199
Westhof, E. (see also Chevrier, B.), 707
Wilhelm, J. M. (see also Eustice, D. C.), 207
Williams, R. J. P. (see also Mann, S.), 225
Winkelmann, D. A. & Lowey, S., Probing myosin head structure with monoclonal antibodies, 595
Wirthmüller, U. (see also Stalder, J.), 119
Wood, H. G. (see also Skrzypczak-Jankun, E.), 495
Wyler, T. (see also Stalder, J.), 119

Xenopus laevis, conserved sequences and cell-specific DNase I hypersensitive sites upstream from the co-ordinately expressed α_I- and α_{II}-globin genes, 119
X-ray amino acid sequence of a bacteriochlorophyll *a* protein from *Prothecochloris aestuarii* refined at 1·9 Å resolution, 443
X-ray data, preliminary, for an N-terminal fragment of rabbit serum transferrin, 727
X-ray diffraction, time-resolved, study of structural changes during activation of frog muscle, 325
X-ray diffraction studies of a partially liganded hemoglobin, $[\alpha(FeII\text{-}CO)\beta(MnII)]_2$, 693

Yeast, altered 40 S ribosomal subunits in omnipotent suppressors, 207
Yeast 2-μm plasmid, FLP site-specific recombinase; topological features of the reaction, 529
Yu, X.-M. & Reznikoff, W. S., Deletion analysis of RNA polymerase interaction sites in the *Escherichia coli* lactose operon regulatory region, 545